

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7129	(709/223-224).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 16:23
S2	4231	S1 and ((alarm near notification) or event or fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:31
S3	2626	S2 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:32
S4	876	(producer or creator or receiver or consumer) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:26
S5	28	(path near (identifier or identification)) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:28
S6	17	payload and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:29
S7	172	S1 and (((alarm near notification) or event or fault) with (producer or consumer or creator or receiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:34
S8	101	S7 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:03
S9	58	S8 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:42
S10	0	S8 and (path near identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:42

S11	15	S8 and graph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 16:42
S12	34	routing and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 17:03
S13	61598	((alarm near notification) or event or fault) with (payload or rout\$3 or path or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:11
S14	95	((alarm near notification)) with (payload or rout\$3 or path or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:11
S15	95	S14 and @ad < "200011130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:23
S16	61	S15 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:22
S17	66	S15 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:23
S18	45	S14 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:29
S19	32	S18 and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:23
S20	37168	S13 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:29

S21	7129	(709/223-224).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 09:29
S22	519	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:30
S23	37703	(append\$3 or insert\$3) with (identification or id or (routing near information) or (path near information) or (node near information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:32
S24	31	S22 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:57
S25	1281	S20 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 09:57
S26	104	S25 and (((alarm near notification) or event or fault) with (producer or consumer or creator or receiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:13
S27	0	S25 and ((alarm or event or fault) near notification) same ((insert\$3 or append\$3) with ((routing or path or node) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:16
S28	1	((alarm or event or fault) near notification) same ((insert\$3 or append\$3) with ((routing or path or node) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:16
S29	1	((alarm or event or fault) near notification) same ((insert\$3 or append\$3) with ((rout\$3 or path or node) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:17
S30	1	((alarm or event or fault) near notification) same ((insert\$3 or append\$3) with ((rout\$3 or path or node or payload) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:18

S31	32	S21 and ((insert\$3 or append\$3) with ((rout\$3 or path or node or payload) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:18
S32	21	S31 and @ad < "20011130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:30
S33	92	"5485617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:31
S34	33	"5517655"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:32
S35	200	"5295244"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:37
S36	985	(insert\$3 or append\$3) with ((routing or path or node) near (information or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:38
S37	691	S36 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:39
S38	37845	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 10:39
S39	98	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:00
S40	1	S39 and ((alarm or event or fault) near (notification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:43

S41	2129	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 11:00
S42	45	S41 and ((alarm or (network near event) or fault) same (snmp or (network near management)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:02
S43	32	S42 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:08
S44	0	S43 and ((insert\$3 or append\$3) with ((rout\$3 or path or node) near (information or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:05
S45	35	S41 and ((insert\$3 or append\$3) with ((rout\$3 or path or node) near (information or identifier or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:06
S46	0	S42 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:05
S47	24	S45 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:06
S48	30	S43 and (rout\$3 or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:38
S49	0	("I9andI29").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 12:38
S50	232	S21 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:38

S51	182	S50 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:39
S52	37	((alarm or event or fault) near notification) same ((rout\$3 or path) near (information or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:41
S53	0	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:40
S54	20	S52 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 12:41
S55	16253	((alarm near notification) or event or fault) with (producer or consumer or creator or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:35
S56	31856	((alarm near notification) or event or fault) with (generator or producer or consumer or creator or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:57
S57	13	S56 and ((insert\$3 or append\$3) with ((rout\$3 or path) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:43
S58	8	S57 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:43
S59	6	("6526442").URPN.	USPAT	OR	ON	2005/08/01 15:39
S60	38	S56 and ((insert\$3 or append\$3) same ((rout\$3 or path) near (information or identification or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:43
S61	29	S60 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:53

S62	10	(tse near edwin).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:55
S63	5	(rout\$3 or path) and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:55
S64	34495	((alarm near notification) or event or fault) with (collector or generator or producer or consumer or creator or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:57
S65	13	S64 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:57
S66	2477	(ams or alarm or event or fault) same ((extract\$3 or remov\$3) near header or ((path or rout\$3) near information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:18
S67	1655	S66 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:19
S68	11640	(709/223-226,238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 09:19
S69	141	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:27
S70	0	S69 and (((append\$3 or insert\$3 or attach\$3) near (rout\$3 or path or identification or identifier)) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:23
S71	14	S69 and ((append\$3 or insert\$3 or attach\$3) near (rout\$3 or path or identification or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:23

S72	63	S69 and ((alarm near notification) or fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:34
S73	2	S69 and ((alarm near notification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:02
S74	18	(insert\$3 or append\$3 or attach\$3) with (alarm near notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:08
S75	10	S74 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:06
S76	50	(insert\$3 or append\$3 or attach\$3) same (alarm near notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:06
S77	23	S76 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:06
S78	1	((insert\$3 or append\$3 or attach\$3) with (rout\$3 or path or identifier or identification)) same (alarm near notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:10
S79	1567	alarm near notification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:10
S80	145	S79 and ((insert\$3 or append\$3 or attach\$3) with (rout\$3 or path or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:10
S81	84	S80 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:57

S82	516	dev.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:57
S83	1	S82 and (alarm near notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:59
S84	1567	alarm near notification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:59
S85	875	S84 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 13:59
S86	161	S85 and (payload or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:08
S87	14	(alarm near notification) same (payload or header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:12
S88	2136	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:12
S89	9	S88 and (alarm near notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:13
S90	1476	S88 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:13
S91	306	S90 and (packet near (header or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:15

S92	63	S91 and (alarm notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:36
S93	9849	(709/223-226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:36
S94	5	S92 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:38
S95	3	((event or alarm or fault) near notification) same (packet near (header or identifier or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:43
S96	127	alarm near identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:44
S97	85	S96 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:44
S98	3	(insert\$3 or append\$3 or attach\$3) near (intermediate near node near (rout\$3 or path or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 20:07
S99	19	(insert\$3 or append\$3 or attach\$3) with (intermediate near node near (rout\$3 or path or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 20:07
S100	14	S99 and @ad < "20011130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 20:08